

What is claimed is:

- 1 1. A method, comprising the steps of:
2 receiving, with a client, data from a network in a distributed system;
3 specifying with said client a minimum length of time during which the received
4 data is to be temporarily stored; and
5 storing temporarily at least a portion of the received data.
- 1 2. A method according to claim 1, wherein the received data is stored in a memory
2 space accessible by the client as cache.
- 1 3. A method according to claim 2, wherein said received data is stored in a non-
2 volatile memory.
- 1 4. A method according to claim 3, wherein the receiving step is via the Internet.
- 1 5. A method according to claim 1, wherein the receiving step comprises retrieving
2 data of a Web page.
- 1 6. A method according to claim 1, wherein the temporarily stored data comprises
2 data in text, graphics, sound, video, or applet format.
- 1 7. A method according to claim 1, further including the step of designating, with
2 said client, that the received data be temporarily stored, wherein the designating step
3 includes a step of presenting a user with a window for user input.

1 8. A method according to claim 7, wherein the specifying step is carried out by a
2 user in real time.

1 9. A method according to claim 1, further comprising the step of reading an
2 instruction provided with the received data, wherein the instruction indicates that the
3 received data should be temporarily stored.

1 10. A method according to claim 1, further comprising the step of deleting the data
2 after the specified minimum length of time.

1 11. A method according to claim 1, wherein the data is a first Web page containing a
2 hyperlink to a second Web page and the storing step includes storing data of the second
3 Web page.

1 12. A method, comprising the step of storing Web page data temporarily in a cache
2 for a user specified time period.

1 13. A method according to claim 12, wherein said data is stored to conserve cache
2 storage space and to ensure that the user may retrieve the data within the user-selected
3 time period.

1 14. A client, comprising:
2 a central processing unit;
3 an input device coupled to said central processing unit;
4 an output device coupled to said central processing unit; and

5 a memory space operatively coupled to said central processing unit for storing
6 data,
7 the client being configured to temporarily store data downloaded from a network
8 for a user specified minimum period of time, after which period of time the stored data is
9 subject to automatic deletion.

1 15. A client according to claim 14, wherein the memory space is a cache memory
2 space.

1 16. A client according to claim 14, wherein the memory space is a nonvolatile
2 memory.

1 17. A client according to claim 14, wherein the client is further configured to respond
2 to a user request to display information about the stored data.

1 18. A client according to claim 17, wherein the client is further configured to respond
2 to a user request to modify a property of the stored data.

1 19. A client according to claim 14, wherein the stored data is data from one or more
2 Web site images.

1 20. A system, comprising:
2 a client configured to temporarily store data received from a server for a user-
3 specified minimum period of time, to provide user access when said data is not available
4 from said server,

